# CREASE MATICTO 150 and Auto 50

### 150

#### STANDARD FEATURES

- Up to 2000 sheets per hour
- · Up to 9 creases per sheet on card from A5 -SRA3 and 6 page A4
- · Sheets up to 99.9 cm in length can be accomodated
- 5 memories


Power

 4 creasing width tools supplied to cover the stock range of 80-350 gsm

- Optional Rotary attachment
- Compact design footprint only 100 x 50 cm
- Operator loading height 88cm
- Quiet operation
- Floor standing
- Sheets up to 999mm in length can be accommodated.

220-240V

50Hz Single



**Programmable Card Creasing Machines** 

#### Specification CM150 CM Auto50 Hand Feeder **Automatic** Feeder (stream-fed) Suction Feeder Max Number, of 9 28 Creases Number of 5 99 **Programmes** Max Sheet Size 330 x 999 500 x 700 (mm) Speed Sheets/hour 2000 7000 Perforation Option Standard Dimensions in Use 1030 x 470 x 1000 1530 x 720 x 1000 (LxDxH) in mm Weight 63 Kgs 190 Kgs

220-240V

50Hz Single

## **AUTO50**

- Up to 7000 sheets per hour can be creased
- Bottom feed suction system for continuous production
- Up to 28 creases per sheet
- Stock from CD to SRA2
- 99 memories are available
- 4 creasing width tools supplied to cover the stock range of 80-350 gsm.

Many A3 printers will benefit from the ability to run A3 on the long-edge allowing jobs such as wine bar and restaurant menus to be creased. A3 printers will also be able to make use of the 500mm crease width which will allow other jobs such as 2-up A4 letter fold jobs on A3 to be produced 2-up, halving the run length.

A matrix bar is supplied to which Channel Matrix self adhesive matrix can be attached. These Channel matrix are available in many sizes, are inexpensive to use and very popular for creasing lightweight stocks 80-150gsm. This system provides a single point which is especially useful if the job is to be stitched

KAS Paper Systems Ltd Brewers Hill Road, Dunstable, Bedfordshire. LUG 1AD Telephone +44 (0)1582 662211

www.kaspapersystems.com